

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAKLK1614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPLUS and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	21	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	22	APR 28	IMSRESEARCH reloaded with enhancements
NEWS	23	MAY 30	INPAFAMDB now available on STN for patent family searching
NEWS	24	MAY 30	DGENE, PCTGEN, and USGENE enhanced with new homology sequence search option
NEWS	25	JUN 06	EPFULL enhanced with 260,000 English abstracts
NEWS	26	JUN 06	KOREAPAT updated with 41,000 documents
NEWS	27	JUN 13	USPATFULL and USPAT2 updated with 11-character patent numbers for U.S. applications
NEWS	28	JUN 19	CAS REGISTRY includes selected substances from web-based collections
NEWS	29	JUN 25	CA/CAPLUS and USPAT databases updated with IPC reclassification data

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:16:16 ON 27 JUN 2008

=> FILE REG		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 16:16:25 ON 27 JUN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0
DICTIONARY FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
Uploading C:\Program Files\STNEXP\Queries\10588862 species.str

L1 STRUCTURE UPLOADED

=> D L1
L1 HAS NO ANSWERS
L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> S L1 FAM FULL
FULL SEARCH INITIATED 16:17:50 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L2 0 SEA FAM FUL L1

=> S L1 SSS FULL
FULL SEARCH INITIATED 16:18:04 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 161 TO ITERATE

100.0% PROCESSED 161 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L3 0 SEA SSS FUL L1

=> FILE CAPLUS		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	249.85	250.06

FILE 'CAPLUS' ENTERED AT 16:19:23 ON 27 JUN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jun 2008 VOL 149 ISS 1
FILE LAST UPDATED: 26 Jun 2008 (20080626/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> S L3
L4 0 L3

=> E GRIEBENOW NILS/IN
E1 1 GRIEBENOW L JOY/IN
E2 1 GRIEBENOW MARTIN/IN
E3 9 --> GRIEBENOW NILS/IN
E4 16 GRIEBENOW SIEGFRIED/IN
E5 2 GRIEBENOW YOLANDA/IN
E6 7 GRIEBL ERICH/IN

E7	2	GRIEBL HANS JURGEN/IN
E8	1	GRIEBL MATTHIAS/IN
E9	1	GRIEBLER GERHARD/IN
E10	13	GRIEBLER WOLF DIETER/IN
E11	1	GRIEBLER WOLFDIETER/IN
E12	1	GRIEBLING GERHARD/IN

=> S E3

L5	9	"GRIEBENOW NILS"/IN
----	---	---------------------

=> E FLESSNER TIMO/IN

E1	3	FLESSNER GERD/IN
E2	2	FLESSNER STEPHEN M/IN
E3	12	--> FLESSNER TIMO/IN
E4	11	FLESSNER UWE/IN
E5	7	FLESZAR BOLESZAW/IN
E6	1	FLETA GARCIA FERNANDO/IN
E7	1	FLETCHER/IN
E8	3	FLETCHER A F/IN
E9	1	FLETCHER A L/IN
E10	1	FLETCHER A T/IN
E11	1	FLETCHER AARON/IN
E12	24	FLETCHER AARON N/IN

=> S E3

L6	12	"FLESSNER TIMO"/IN
----	----	--------------------

=> E HARTER MICHAEL/IN

E1	1	HARTER MARK A/IN
E2	1	HARTER MATTHIAS/IN
E3	5	--> HARTER MICHAEL/IN
E4	1	HARTER MICHAEL D/IN
E5	1	HARTER MIRIAM/IN
E6	1	HARTER MIRIAM K/IN
E7	2	HARTER NOAH S/IN
E8	1	HARTER RUSSELL W/IN
E9	2	HARTER SABRINA/IN
E10	1	HARTER STEVEN P/IN
E11	1	HARTER TODRICK G/IN
E12	1	HARTER WALTER E/IN

=> S E3 OR E4

	5	"HARTER MICHAEL"/IN
	1	"HARTER MICHAEL D"/IN
L7	6	"HARTER MICHAEL"/IN OR "HARTER MICHAEL D"/IN

=> E RAABE MARTIN/IN

E1	1	RAABE MAGNUS/IN
E2	2	RAABE MAREN/IN
E3	15	--> RAABE MARTIN/IN
E4	1	RAABE ORVILLE R JR/IN
E5	1	RAABE OTTO G/IN
E6	1	RAABE P RODER BRUNO/IN
E7	2	RAABE PETER/IN
E8	1	RAABE RALF/IN
E9	1	RAABE SIEGFRIED/IN
E10	16	RAABE THOMAS/IN
E11	2	RAABE THORSTEN/IN
E12	1	RAABE UDO/IN

=> S E3

L8 15 "RAABE MARTIN"/IN

=> E BUCHMULLER ANJA/IN

E1	1	BUCHMUELLER WILHELM/IN
E2	1	BUCHMUELLER ANJA/IN
E3	0 -->	BUCHMULLER ANJA/IN
E4	1	BUCHMULLER JURGEN/IN
E5	1	BUCHMULLER WALTER/IN
E6	1	BUCHNAM JAMES H/IN
E7	1	BUCHNAN G H/IN
E8	1	BUCHNAYA TATYANA A/IN
E9	1	BUCHNEA ALEXANDER/IN
E10	4	BUCHNER ALFRED/IN
E11	1	BUCHNER ALFRED A/IN
E12	5	BUCHNER ANTON/IN

=> S E2

L9 1 "BUCHLOL DACTYLOIDES"/CT

=> E BUCHMUELLER ANJA/IN

E1	1	BUCHMET MIROSLAV/IN
E2	1	BUCHMILLER LYLE D/IN
E3	6 -->	BUCHMUELLER ANJA/IN
E4	1	BUCHMUELLER H/IN
E5	1	BUCHMUELLER HEINRICH/IN
E6	1	BUCHMUELLER HEINZ PETER/IN
E7	1	BUCHMUELLER HORST/IN
E8	1	BUCHMUELLER HORST DIPL ING/IN
E9	1	BUCHMUELLER J/IN
E10	5	BUCHMUELLER JUERGEN/IN
E11	1	BUCHMUELLER KLAUS/IN
E12	1	BUCHMUELLER MARIANNE/IN

=> S E3

L10 6 "BUCHMUELLER ANJA"/IN

=> E BISCHOFF HILMAR/IN

E1	9	BISCHOFF HANS/IN
E2	3	BISCHOFF HENRI FERNANDO/IN
E3	113 -->	BISCHOFF HILMAR/IN
E4	1	BISCHOFF HILMER/IN
E5	1	BISCHOFF HIMLAR/IN
E6	1	BISCHOFF HUGO/IN
E7	4	BISCHOFF JAMES R/IN
E8	5	BISCHOFF JOACHIM/IN
E9	8	BISCHOFF JOERG/IN
E10	2	BISCHOFF JOHANN J/IN
E11	3	BISCHOFF JOHANNA M H K/IN
E12	5	BISCHOFF JOHANNES/IN

=> S E3 OR E4 OR E5

	113	"BISCHOFF HILMAR"/IN
	1	"BISCHOFF HILMER"/IN
	1	"BISCHOFF HIMLAR"/IN
L11	115	"BISCHOFF HILMAR"/IN OR "BISCHOFF HILMER"/IN OR "BISCHOFF HIMLAR "/IN

=> E ELLINGHAUS PETER/IN

E1	1	ELLINGHAUS FRITZ/IN
E2	1	ELLINGHAUS O/IN
E3	20 -->	ELLINGHAUS PETER/IN

E4	1	ELLINGHAUS WOLFGANG/IN
E5	1	ELLINGHAUS WOLFGANG DIPL ING/IN
E6	8	ELLINGHORST GUIDO/IN
E7	1	ELLINGHOUSE R J/IN
E8	3	ELLINGHOVEN RAYMOND/IN
E9	1	ELLINGHUYSEN JERRY A/IN
E10	1	ELLINGSEN ALMAR/IN
E11	1	ELLINGSEN BJARTE SOEREBOE/IN
E12	8	ELLINGSEN JAN EIRIK/IN

=> S E3

L12 20 "ELLINGHAUS PETER"/IN

=> E KOLKHOF PETER/IN

E1	18	KOLKHIR V K/IN
E2	2	KOLKHIR VLADIMIR K/IN
E3	27 -->	KOLKHOF PETER/IN
E4	1	KOLKIN E N/IN
E5	1	KOLKIN JON/IN
E6	1	KOLKIN M M/IN
E7	1	KOLKIN S V/IN
E8	2	KOLKIN T/IN
E9	2	KOLKINA N I/IN
E10	1	KOLKIND KURT/IN
E11	1	KOLKMAN ARJAN/IN
E12	2	KOLKMAN JOOST/IN

=> S E3

L13 27 "KOLKHOF PETER"/IN

=> S L5 OR L6 OR L7 OR L8 OR L9 OR L10 OR L11 OR L12 OR L13

L14 189 L5 OR L6 OR L7 OR L8 OR L9 OR L10 OR L11 OR L12 OR L13

=> S CARDIOVASCULAR

113652 CARDIOVASCULAR

4 CARDIOVASCULARS

L15 113655 CARDIOVASCULAR

(CARDIOVASCULAR OR CARDIOVASCULARS)

=> S L15 AND L14

L16 78 L15 AND L14

=> S L5 AND L6 AND L7

L17 0 L5 AND L6 AND L7

=> S L8 AND L11

L18 5 L8 AND L11

=> S "TETRAHYDROBENZO[D]AZEPIN-2-ONE"

2145 "TETRAHYDROBENZO"

2603193 "D"

4539 "AZEPIN"

7 "AZEPINS"

4545 "AZEPIN"

("AZEPIN" OR "AZEPINS")

9648641 "2"

2596044 "ONE"

192787 "ONES"

2748042 "ONE"

("ONE" OR "ONES")

L19 5 "TETRAHYDROBENZO[D]AZEPIN-2-ONE"

("TETRAHYDROBENZO" (W) "D" (W) "AZEPIN" (W) "2" (W) "ONE")

=> S L19 AND L14
L20 0 L19 AND L14

=> D L19 1-5 IBIB ABS

L19 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2008:529900 CAPLUS

DOCUMENT NUMBER: 148:538288

TITLE: Preparation of fused bicyclic derivatives of
2,4-diaminopyrimidine as ALK and c-Met kinase
inhibitors

INVENTOR(S): Ahmed, Gulzar; Bohnstedt, Adolph; Breslin, Henry
Joseph; Burke, Jason; Curry, Matthew A.; Diebold,
James L.; Dorsey, Bruce; Dugan, Benjamin J.; Feng,
Daming; Gingrich, Diane E.; Guo, Tao; Ho, Koc-Kan;
Learn, Keith S.; Lisko, Joseph G.; Liu, Rong-Qiang;
Mesaros, Eugen F.; Milkiewicz, Karen; Ott, Gregory R.;
Parrish, Jonathan; Theroff, Jay P.; Thieu, Tho V.;
Tripathy, Rabindranath; Underiner, Theodore L.;
Wagner, Jason C.; Weinberg, Linda; Wells, Gregory J.;
You, Ming; Zificksak, Craig A.

PATENT ASSIGNEE(S): Cephalon, Inc., USA; Pharmacoopia Drug Discovery, Inc.
SOURCE: PCT Int. Appl., 1297pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008051547	A1	20080502	WO 2007-US22496	20071023
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: US 2006-853562P P 20061023

OTHER SOURCE(S): MARPAT 148:538288

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I and II [R1 = H, halo, NO2, OH and derivs., aryl, alkyl, etc.; R2 = (un)substituted alk(en/yn)yl, (hetero)aryl, R3-R5 = independently H, CO2H and derivs., NH2 and derivs., OCHF2, etc.; A1-A5 = independently (CH2)1-2 and derivs., CO, NH and derivs., S, SO, SO2, O, with provisos; with the exception of specified compds.; and their pharmaceutically acceptable salts] were prepared as ALK and c-Met kinase

inhibitors for treating proliferative disorders. Thus, nitration of 1,3,4,5-tetrahydrobenzo[b]azepin-2-one with HNO₃/H₂SO₄, alkylation with Me iodide, reduction of the nitro intermediate and amination of 2-[(2,5-dichloropyrimidin-4-yl)amino]-N-methylbenzamide gave benzazepinylaminopyrimidine III. III inhibited ALK and C-Met kinases with IC₅₀ < 0.1 μM.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L19 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:1447634 CAPLUS

DOCUMENT NUMBER: 148:54912

TITLE: Preparation of aryl and heteroaryl tetrahydrobenzazepine derivatives as 5-HT agonists useful for treating glaucoma

INVENTOR(S): Mohapatra, Suchismita; Hellberg, Mark R.; Feng, Zixia

PATENT ASSIGNEE(S): Alcon Manufacturing Ltd., USA

SOURCE: U.S. Pat. Appl. Publ., 13pp.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 20070293475	A1	20071220	US 2007-761493	20070612
WO 2007149728	A2	20071227	WO 2007-US70931	20070612



W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: US 2006-814971P P 20060620

OTHER SOURCE(S): MARPAT 148:54912

GI



AB Aryl tetrahydrobenzazepine derivs. of general formula I (wherein R1 = H or C1-4 alkyl; R2= H, OH, or alkoxy; R3 = -X-Ar, -OR8, etc.; R4, R5, R6, R7= H or C1-2 alkyl; R8 = H or C1-4 alkyl; X=O, -C(R9)(R10)-, etc.; Ar= (un)substituted Ph or pyridyl; R9, R10 = H or C1-4 alkyl) with minimal 5-HT2B activity relative to 5-HT2A and 5-HT2C activity that are useful for treating glaucoma are disclosed. Example compound II was prepared by reacting 7-chloro-1,2,4,5-tetrahydro-benzo[d]azepine-3-carboxylic acid tert-Bu ester with 3,5-dimethoxybenzyl zinc chloride. In an assay involving functional response of 5-HT2 receptor subtypes, II had EC50 values of 16.9, >10,000, and 20 nm, in activating the 5-HT2A, 5-HT2B, and 5-HT2C receptors, resp.

L19 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:1271397 CAPLUS

DOCUMENT NUMBER: 144:192090

TITLE: Classical and dynamic resolution of 1-amino-3-methyl-1,3,4,5-tetrahydrobenzo[d]azepin-2-one

AUTHOR(S): Mitchell, David; Hay, Lynne A.; Koenig, Thomas M.; McDaniel, Stacey; Nissen, Jeffrey S.; Audia, James E.

CORPORATE SOURCE: Chemical Product R&D, Lilly Research Laboratories, Eli Lilly and Company, Lilly Corporate Center, Indianapolis, IN, 46285, USA

SOURCE: Tetrahedron: Asymmetry (2005), 16(23), 3814-3819
CODEN: TASYE3; ISSN: 0957-4166

PUBLISHER: Elsevier B.V.

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 144:192090

AB Two efficient production processes of enantioenriched 1-amino-3-methyl-1,3,4,5-tetrahydro-benzo[d]azepin-2-one were achieved using the readily available starting materials. A key step in the methodologies is a classical resolution or a dynamic resolution that provides excellent chemical (>80%) yields

and enantiomeric excesses (>99.8% ee). The classical resolution was developed on a preparative scale while the dynamic resolution was implemented on a pilot plant scale.

REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L19 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:409483 CAPLUS

DOCUMENT NUMBER: 142:463622

TITLE: Preparation of benzazepine derivatives and methods of prophylaxis or treatment of 5-HT2C receptor associated diseases like obesity

INVENTOR(S): Smith, Brian; Gilson, Charles, III; Schultz, Jeffrey; Estrada, Scott

PATENT ASSIGNEE(S): Arena Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 80 pp.
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005042491	A1	20050512	WO 2004-US34917	20041021
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				

CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 20080009478 A1 20080110 US 2007-576849 20070409
 PRIORITY APPLN. INFO.: US 2003-513865P P 20031022
 WO 2004-US34917 W 20041021
 OTHER SOURCE(S): CASREACT 142:463622; MARPAT 142:463622
 GI



AB The present invention relates to substituted-2,3,4,5-tetrahydro-3-benzazepine derivs. (shown as I; variables defined below; e.g. (S)-7-benzyl-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine hydrochloride (II) and 8-benzyl-7-methoxy-1-methyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine hydrochloride (III)) that are modulators of the 5-HT_{2C} receptor. Accordingly, compds. of the present invention are useful for the prophylaxis or treatment of 5-HT_{2C} receptor associated diseases, conditions or disorders, such as, obesity and related disorders. For I: X is O, S, SO, SO₂, CO, COO, NR₇, CONR₇, SONR₇, SO₂NR₇, NR₇CONR₇ or is absent; Y is C1-C10 alkenyl or is absent, wherein Y is (un)substituted by halo, C1-C4 alkyl, C1-C4 alkoxy, C1-C4 haloalkyl, C1-C4 haloalkoxy, hydroxy, carboxy, amino, alkylamino, or dialkylamino; Z is O, S, SO, SO₂ or absent; R₁ is H, C1-C8 alkyl, C3-C7 cycloalkyl, or C1-C8 haloalkyl; R₂ is C1-C8 alkyl or C1-C8 haloalkyl; R₃ is H, C1-C8 alkyl, or C1-C8 haloalkyl; or R₂ and R₃ together with the C atom to which they are attached form a C3-C7 cycloalkyl. R₄, R₅, and R₆ = H, halo, C1-C8 alkyl, C1-C8 haloalkyl, C2-C8 alkenyl, C2-C8 alkynyl, aryl, heteroaryl, C3-C7 cycloalkyl, heterocycloalkyl, hydroxy, mercapto, C1-C8 alkoxy, C1-C8 thioalkoxy, C1-C8 haloalkoxy, aryloxy, cycloalkyloxy, heteroaryloxy, heterocycloalkyloxy, cyano, nitro, NR₈R₉, NR₈COR₁₀, COR₁₀, COOR₁₁, or CONR₈R₉; R₇ is H, C1-C4 alkyl, or C1-C4 haloalkyl; R₈ and R₉ = H, C1-C4 alkyl, C1-C4 haloalkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, or arylalkyl; or R₈ and R₉ together with the N atom to which they are attached form a 5- or 6-membered heterocycloalkyl. R₁₀ is H, C1-C4 alkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, arylalkyl, heteroaryl, or heterocycloalkyl; R₁₁ is H, C1-C4 alkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, arylalkyl, heteroaryl, or heterocycloalkyl. Ar is aryl or heteroaryl, each (un)substituted by ≥1 halo, cyano, nitro, C1-C6 alkyl, C1-C6 haloalkyl, C2-C6 alkenyl, C2-C6 alkynyl, aryl, heteroaryl, C3-C7 cycloalkyl, heterocycloalkyl, hydroxy, C1-C6 alkoxy, C1-C6 haloalkoxy, C3-C7 cycloalkyloxy, aryloxy, heteroaryloxy, heterocycloalkyloxy, mercapto, C1-C6 thioalkoxy, C3-C7 thiocycloalkyloxy,

thioaryloxy, thioheteroaryloxy, C1-C4 alkylsulfinyl, C1-C4 alkylsulfonyl, C1-C4 haloalkylsulfinyl, C1-C4 haloalkylsulfonyl, COR12, COOR13, NR14R15, NR14COR12, NR14CONR14R15, or CONR14R15. Or Ar together with Y and Z form a benzo-fused cycloalkyl or benzo-fused heterocycloalkyl group, each (un)substituted by ≥ 1 halo, cyano, nitro, C1-C6 alkyl, C1-C6 haloalkyl, C2-C6 alkenyl, C2-C6 alkynyl, aryl, heteroaryl, C3-C7 cycloalkyl, heterocycloalkyl, hydroxy, C1-C6 alkoxy, C1-C6 haloalkoxy, C3-C7, cycloalkyloxy, aryloxy, heteroaryloxy, heterocycloalkyloxy, mercapto, C1-C6 thioalkoxy, C3-C7 thiocycloalkyloxy, thioaryloxy, thioheteroaryloxy, C1-C4 alkylsulfinyl, C1-C4 alkylsulfonyl, C1-C4 haloalkylsulfinyl, C1-C4 haloalkylsulfonyl, COR12, COOR13, NR14R15, NR14COR12, NR14CONR14R15, or CONR14R15. R12 is H, C1-C4 alkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, arylalkyl, heteroaryl, or heterocycloalkyl; R3 is H, C1-C4 alkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, arylalkyl, heteroaryl, or heterocycloalkyl; and R14 and R15 = H, C1-C4 alkyl, C1-C4 haloalkyl, C3-C7 cycloalkyl, cycloalkylalkyl, aryl, or arylalkyl; or R14 and R15 together with the N atom to which they are attached form a 5- or 6-membered heterocycloalkyl group; provisos are given in the claims. Although the methods of preparation are not claimed, 39 example preps. are included. For example, II was prepared in 3 steps starting from (S)-N-(trifluoroacetyl)-8-chloro-1-methyl-1,2,4,5-tetrahydrobenzo[d]azepine and involving intermediates (S)-N-(Trifluoroacetyl)-8-chloro-7-iodo-1-methyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine and (S)-N-(Trifluoroacetyl)-7-benzyl-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-benzo[d]azepine. 5-HT2C IC50 values are reported for II and III as 30 and 7 nM, resp., from an intracellular IP3 accumulation assay.

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L19 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:267241 CAPLUS

DOCUMENT NUMBER: 140:303538

TITLE: Preparation of [(aminoalkyl)aryl]oxy]nicotinamides and analogs as opioid receptor antagonist for treatment of obesity and related conditions

INVENTOR(S): Blanco-Pillado, Maria-Jesus; Chappell, Mark Donald; Garcia De la Torre, Marta; Diaz Buezo, Nuria; Fritz, James Erwin; Holloway, William Glen; Matt, James Edward, Jr.; Mitch, Charles Howard; Pedregal-Tercero, Concepcion; Quimby, Steven James; Siegel, Miles Goodman; Smith, Dana Rae; Stucky, Russell Dean; Takeuchi, Kumiko; Thomas, Elizabeth Marie; Wolfe, Chad Nolan

PATENT ASSIGNEE(S): Eli Lilly and Company, USA

SOURCE: PCT Int. Appl., 559 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
WO 2004026305	A1	20040401	WO 2003-US26300	20030917
WO 2004026305	A9	20040513		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,			

TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG



CA 2499690	A1	20040401	CA 2003-2499690	20030917
AU 2003269980	A1	20040408	AU 2003-269980	20030917
BR 2003014308	A	20050705	BR 2003-14308	20030917
EP 1562595	A1	20050817	EP 2003-751877	20030917
EP 1562595	B1	20080521		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

CN 1681498	A	20051012	CN 2003-822241	20030917
JP 2006511474	T	20060406	JP 2004-537682	20030917
NZ 538459	A	20080430	NZ 2003-538459	20030917
TW 287012	B	20070921	TW 2003-92125729	20030918
US 20060217372	A1	20060928	US 2005-526960	20050303
US 7381719	B2	20080603		
MX 2005PA03093	A	20050713	MX 2005-PA3093	20050318
IN 2005KN00457	A	20060303	IN 2005-KN457	20050318
NO 2005001871	A	20050418	NO 2005-1871	20050418

PRIORITY APPLN. INFO.: US 2002-412158P P 20020919
WO 2003-US26300 W 20030917

OTHER SOURCE(S): MARPAT 140:303538
GI



AB Title diaryl ethers I [wherein X1-X10 = independently C, CH, or N; provided that each of rings A or B has no more than 2 N atoms; E = O or NH; R1 and R2 = independently H or (un)substituted (cyclo)alkyl, alkenyl, alkynyl, (alkyl)aryl, (aryl)heterocyclyl, (cyclo)alkylheterocyclyl, (cyclo)alkanoylalkyl, aroylalkyl, aryloxyalkyl, benzhydryl, bicycyl(alkyl), benzoyl(alkyl), alkoxyalkyl, alkoxy carbonyl, (aryl)alkylsulfonyl, heterocyclylalkylsulfonyl, cycloalkylalkyl, carboxyalkyl, carbamoylalkyl, etc.; R3 and R3' = independently H, alkyl, alkenyl, alkynyl, (alkyl)aryl, or alkylcycloalkyl; R4 and R5 = independently H, (halo)alkyl, alkenyl, alkynyl, alkoxy(halo)alkyl, thioalkyl, halo, aryl(alkyl), alkanoyl, alkoxy carbonyl, aminoalkyl, cycloalkylalkyl, etc.; R6 and R7 = independently H, (cyclo)alkyl, alkenyl, alkynyl, alkanoyl, OH, alkoxy, (aryl)alkylsulfonyl,

heterocyclalkylsulfonyl, aryl(alkyl), carbamoyl(alkyl), etc.; m = 1-3; n = 0-3; p = 0-3; or pharmaceutically acceptable salts, solvates, enantiomers, racemates, diastereomers, or mixts. thereof] were prepared as μ -, κ -, and δ -opioid receptor antagonists. For example, reductive amination of 6-(2-fluoro-4-formylphenoxy)nicotinamide and 3-methylbutylamine provided II (99%). The latter inhibited ex vivo binding of [3H]-diprenorphine in rat striatum/nucleus accumbens by >65% at a concentration of 7 mg/kg. In an acute feeding rat obesity assay, II suppressed opioid receptors at a dose of 0.3 μ g/kg. In addition, diet-induced obese rats achieved an energy balance (caloric intake minus utilization) of -81 kcal/kg/day upon administration of 0.3 mg/kg p.o. of II in an indirect calorimetry assay. Thus, I and their pharmaceutical compns. are useful for the treatment, prevention, or amelioration of obesity and related diseases.

REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL STNGUIDE

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	60.39	310.45
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-4.00	-4.00

FILE 'STNGUIDE' ENTERED AT 16:28:54 ON 27 JUN 2008
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Jun 20, 2008 (20080620/UP).

=>

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.04	312.49
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-4.00

FILE 'REGISTRY' ENTERED AT 16:49:28 ON 27 JUN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0
DICTIONARY FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when

conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\STNEXP\Queries\10588862 genus.str

L21 STRUCTURE UPLOADED

=> D L21

L21 HAS NO ANSWERS

L21 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L21 SSS FULL

FULL SEARCH INITIATED 16:53:44 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 889252 TO ITERATE

100.0% PROCESSED 889252 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.13

L22 0 SEA SSS FUL L21

=>


Uploading C:\Program Files\STNEXP\Queries\10588862 genus1.str

L23 STRUCTURE UPLOADED

=> D L23

L23 HAS NO ANSWERS

L23 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L23 SSS FULL
 FULL SEARCH INITIATED 16:55:30 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 138699 TO ITERATE

100.0% PROCESSED 138699 ITERATIONS 10 ANSWERS
 SEARCH TIME: 00.00.03

L24 10 SEA SSS FUL L23

=> FILE CAPLUS
 COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	360.40	672.89

	SINCE FILE ENTRY	TOTAL SESSION
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)		
CA SUBSCRIBER PRICE	0.00	-4.00

FILE 'CAPLUS' ENTERED AT 16:55:39 ON 27 JUN 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jun 2008 VOL 149 ISS 1
 FILE LAST UPDATED: 26 Jun 2008 (20080626/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> S L24

L25 1 L24

=> D L25 IBIB ABS HITSTR

L25 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:901857 CAPLUS

DOCUMENT NUMBER: 143:248302

TITLE: Preparation of tetrahydro-2H-3-benzazepin-2-ones for the treatment of cardiovascular diseases

INVENTOR(S): Griebenow, Nils; Flessner, Timo; Raabe, Martin; Bischoff, Hilmar

PATENT ASSIGNEE(S): Bayer Healthcare A.-G., Germany

SOURCE: Ger. Offen., 49 pp.

CODEN: GWXXBX


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 102004006325	A1	20050825	DE 2004-102004006325	20040210
CA 2554996	A1	20050825	CA 2005-2554996	20050201
WO 2005077907	A1	20050825	WO 2005-EP960	20050201
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1716118	A1	20061102	EP 2005-701287	20050201
EP 1716118	B1	20080430		
R:	DE, ES, FR, GB, IT			
JP 2007522159	T	20070809	JP 2006-552501	20050201
US 20070287698	A1	20071213	US 2007-588862	20070619
PRIORITY APPLN. INFO.:			DE 2004-102004006325A	20040210
			WO 2005-EP960	W 20050201
OTHER SOURCE(S):	MARPAT 143:248302			
GI				



AB Title compds. I [X = (CH₂)_n; n = 1-3; A = aryl, 5 to 10-membered heteroaryl, etc.; R₁, R₂ = H, halo, CN, etc.; R₃ = alkyl, alkenyl, alkynyl, etc.; R₄ = OR₇, NR₈R₉; R₇ = H, alkyl; R₈, R₉ = H, alkyl, cycloalkyl, etc.] and their pharmaceutically acceptable salts and formulations were prepared For example, saponification of Et ester II (Y = OEt)


afforded carboxylic acid II (Y = OH) in 54% yield. In squalene synthase inhibition assays, compds. I exhibited IC₅₀ values < 20 μM. Compds. I are claimed to be useful for the treatment of cardiovascular diseases.

IT 863252-98-6P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of tetrahydrobenzazepinones for the treatment of cardiovascular diseases)

RN 863252-98-6 CAPLUS

CN 3H-3-Benzazepine-3-acetic acid, 7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo- (CA INDEX NAME)




IT 863252-97-5P 863253-01-4P 863253-02-5P
863253-09-2P 863253-10-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of tetrahydrobenzazepinones for the treatment of cardiovascular diseases)


RN 863252-97-5 CAPLUS

CN 3H-3-Benzazepine-3-acetic acid, 7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methyl-2-propen-1-yl)-2-oxo- (CA INDEX NAME)




RN 863253-01-4 CAPLUS

CN 3H-3-Benzazepine-3-acetic acid, 5-(2-chlorophenyl)-1,2,4,5-tetrahydro-7-methyl-1-(2-methylpropyl)-2-oxo- (CA INDEX NAME)




RN 863253-02-5 CAPLUS

CN 3H-3-Benzazepine-3-acetic acid, 5-(2-bromophenyl)-7-chloro-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo- (CA INDEX NAME)




RN 863253-09-2 CAPLUS

CN Hexanoic acid, 6-[[2-[7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo-3H-3-benzazepin-3-yl]acetyl]amino]-, methyl ester (CA INDEX NAME)



RN 863253-10-5 CAPLUS

CN Hexanoic acid, 6-[[2-[[7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo-3H-3-benzazepin-3-yl]acetyl]amino]- (CA INDEX NAME)



IT 863253-14-9P 863253-15-0P 863253-22-9P


863253-23-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of tetrahydrobenzazepinones for the treatment of cardiovascular diseases)


RN 863253-14-9 CAPLUS

CN 3H-3-Benzazepine-3-acetic acid, 7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methyl-2-propen-1-yl)-2-oxo-, ethyl ester (CA INDEX NAME)




RN 863253-15-0 CAPLUS


CN 3H-3-Benzazepine-3-acetic acid, 7-chloro-5-(2-chlorophenyl)-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo-, ethyl ester (CA INDEX NAME)



RN 863253-22-9 CAPLUS
 CN 3H-3-Benzazepine-3-acetic acid, 5-(2-chlorophenyl)-1,2,4,5-tetrahydro-7-methyl-1-(2-methylpropyl)-2-oxo-, ethyl ester (CA INDEX NAME)



RN 863253-23-0 CAPLUS
 CN 3H-3-Benzazepine-3-acetic acid, 5-(2-bromophenyl)-7-chloro-1,2,4,5-tetrahydro-1-(2-methylpropyl)-2-oxo-, ethyl ester (CA INDEX NAME)



=> FILE REG
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
7.85	680.74

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE ENTRY	TOTAL SESSION
-0.80	-4.80

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 16:58:47 ON 27 JUN 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0
DICTIONARY FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\STNEXP\Queries\10588862 genus2.str

L26 STRUCTURE UPLOADED

=> D L26

L26 HAS NO ANSWERS

L26 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L26 SSS FULL

FULL SEARCH INITIATED 16:59:14 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 148476 TO ITERATE

100.0% PROCESSED 148476 ITERATIONS
SEARCH TIME: 00.00.01

38 ANSWERS

L27 38 SEA SSS FUL L26

=> FILE CAPLUS

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

859.10

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-4.80

FILE 'CAPLUS' ENTERED AT 16:59:20 ON 27 JUN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jun 2008 VOL 149 ISS 1
FILE LAST UPDATED: 26 Jun 2008 (20080626/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> S L27

L28 2 L27

=> S L28 NOT L25

L29 1 L28 NOT L25

=> D L29 IBIB ABS HITSTR

L29 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:536464 CAPLUS

DOCUMENT NUMBER: 137:63182

TITLE: Novel bicyclic vitronectin-receptor antagonists, e.g., bicycloheptene and benzazepine derivatives, and their preparation, and pharmaceuticals containing them

INVENTOR(S): Casara, Patrick; Perron, Sierra Francoise; Atassi, Ghanem; Tucker, Gordon; Saint, Dizier Dominique

PATENT ASSIGNEE(S): Adir et Compagnie, Fr.

SOURCE: Fr. Demande, 74 pp.

CODEN: FRXXBL

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2806082	A1	20010914	FR 2000-2902	20000307
FR 2806082	B1	20020517		
CA 2402686	A1	20011025	CA 2001-2402686	20010306
CA 2402686	C	20080205		
WO 2001079172	A1	20011025	WO 2001-FR650	20010306

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,

CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM,
 HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS,
 LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO,
 RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ,
 VN, YU, ZA, ZW
 RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
 PT, SE, TR

BR 2001008998	A	20021217	BR 2001-8998	20010306
EP 1268429	A1	20030102	EP 2001-969041	20010306
EP 1268429	B1	20040818		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
HU 2003000181	A2	20030528	HU 2003-181	20010306
HU 2003000181	A3	20050728		
JP 2003531140	T	20031021	JP 2001-576773	20010306
JP 3974780	B2	20070912		
AT 273957	T	20040915	AT 2001-969041	20010306
PT 1268429	T	20041029	PT 2001-969041	20010306
NZ 520805	A	20041224	NZ 2001-520805	20010306
AU 2001293374	B2	20050217	AU 2001-293374	20010306
ES 2227265	T3	20050401	ES 2001-969041	20010306
ZA 2002006354	A	20030808	ZA 2002-6354	20020808
MX 2002PA08633	A	20030224	MX 2002-PA8633	20020903
US 20030229109	A1	20031211	US 2002-220755	20020903
US 6846833	B2	20050125		
NO 2002004275	A	20020906	NO 2002-4275	20020906
NO 324052	B1	20070806		
HK 1052345	A1	20051230	HK 2003-104528	20030624
PRIORITY APPLN. INFO.:			FR 2000-2902	A 20000307
			WO 2001-FR650	W 20010306
OTHER SOURCE(S):	MARPAT 137:63182			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I, including enantiomers, diastereoisomers, and pharmaceutically acceptable acid and base addition salts, are disclosed [wherein: G = C, CH, N, or O, forming a benzene or aromatic or partially unsatd. heterocyclic group containing 1-2 heteroatoms and optionally substituted by R1-R4; G1, G2 = C or N; R1-R4 = halo, alkyl, perhaloalkyl, cyano, NO2, OR7, NR6R6', CO2R6, CONR6R6', COR6, S(O)nR6, or absent; n = 0-2; T1 = CH2CH2, CH:CH, :CHCH2 and T2 = bond; or T1 = CH2 or :CH and T2 = CH2 or :CH; R5 = (CH2)mCOOR6; R6, R6' = H, alkyl, (un)substituted aryl or arylalkyl; R7 = H, alkyl; W = CH, :C, or C: and A = CO, CH, :CH, or CH::; or W = N and A = CO or CH2; X = COX1, CONR6X1, NR6COX1, OX1, SO2NR6X1, S(O)nX1; X1 = alkylene; Y = Y1, Y2Y1, Y1Y2Y1; Y1 = alkylene, alkenylene, or alkynylene; Y2 = arylene, heteroarylene, cycloalkylene, or heterocycloalkylene; Z = Z1, Z10NR6, or Z10NR6CO; Z10 = alkyl or Z1; Z1 = Z2, Z20C(:NR6), Z20NR6, and Z20NR6CO; Z20 = alkyl, heteroalkyl, or Z2; Z2 = (un)substituted heteroaryl, heterocycloalkyl, heteroarylalkyl, heterocycloalkylalkyl, fused arylheteroaryl, fused arylheterocycloalkyl, fused heteroarylheterocycloalkyl, fused heteroarylheteroaryl, or fused cycloalkylheterocycloalkyl; m = 1-6]. Approx. 50 examples and 25 intermediate preps. are given, with little or no characterizing data. For instance, 5,6,8,9-tetrahydro-7H-benzocyclohepten-7-one (II) was converted in 4 steps to tert-Bu (7-formyl-6,9-dihydro-5H-benzocyclohepten-5-yl)acetate (III). This aldehyde underwent borohydride reduction to an alc., conversion to a bromide, coupling with 2-[(5-hydroxypentyl)amino]pyridine

(preparation given), and acid hydrolysis, to give title compound IV.HCl.
Compds.


I bound to human placental $\alpha v\beta 3$ and $\alpha v\beta 5$ vitronectin receptors in vitro with IC50 values on the order of 1 nM. In tests of integrin-dependent cell adhesion using human placental ($\alpha v\beta 3$) and human ovarian carcinoma ($\alpha v\beta 5$) cells, compds. I inhibited adhesion to vitronectin with IC50 values on the order of hundreds of nM and tens of nM, resp. However, in a test for aggregation of platelets from human platelet-rich plasma (side effect), compds. I showed no effect up to 100 μ M.

IT 439609-58-2P, tert-Butyl [2-Oxo-3-[2-oxo-2-[[3-(2-pyridinylamino)propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-61-7P, tert-Butyl [2-oxo-3-[2-oxo-2-[[4-(2-pyridinylamino)butyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-64-0P, tert-Butyl [2-oxo-3-[2-oxo-2-[[2-(2-pyridinylamino)ethyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-67-3P, tert-Butyl [2-oxo-3-[2-oxo-2-[[3-[(2-pyridinylamino)methyl]benzyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-70-8P, tert-Butyl [2-oxo-3-[2-oxo-2-[[3-[N-(4,5,6,7-tetrahydro-3H-azepin-2-yl)amino]propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-73-1P, tert-Butyl [2-oxo-3-[2-oxo-2-[[3-[(4,5-dihydro-1H-imidazol-2-yl)amino]propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate 439609-76-4P, tert-Butyl [2-oxo-3-[2-oxo-2-[[3-[[4,5-dihydro-1H-imidazol-2-yl)amino]methyl]benzyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetate
RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(drug candidate; preparation of bicycloheptene and benzazepine derivs. as vitronectin receptor antagonists)


RN 439609-58-2 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[3-(2-pyridinylamino)propyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 439609-61-7 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[4-(2-pyridinylamino)butyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 439609-64-0 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[2-(2-pyridinylamino)ethyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 439609-67-3 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[[3-[(2-pyridinylamino)methyl]phenyl]methyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 439609-70-8 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[3-[(3,4,5,6-tetrahydro-2H-azepin-7-yl)amino]propyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 439609-73-1 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 3-[2-[[3-[(4,5-dihydro-1H-imidazol-2-yl)amino]propyl]amino]-2-oxoethyl]-2,3,4,5-tetrahydro-2-oxo-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 439609-76-4 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 3-[2-[[[3-[[4,5-dihydro-1H-imidazol-2-yl)amino]methyl]phenyl]methyl]amino]-2-oxoethyl]-2,3,4,5-tetrahydro-2-oxo-, 1,1-dimethylethyl ester (CA INDEX NAME)




IT 439609-60-6P, [2-Oxo-3-[2-oxo-2-[[3-(2-pyridinylamino)propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-63-9P, [2-Oxo-3-[2-oxo-2-[[4-(2-pyridinylamino)butyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-66-2P, [2-Oxo-3-[2-oxo-2-[[2-(2-pyridinylamino)ethyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-69-5P, [2-Oxo-3-[2-oxo-2-[[3-[(2-pyridinylamino)methyl]benzyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-72-0P, [2-Oxo-3-[2-oxo-2-[[3-[N-(4,5,6,7-tetrahydro-3H-azepin-2-yl)amino]propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-75-3P, [2-Oxo-3-[2-oxo-2-[[3-[(4,5-dihydro-1H-imidazol-2-yl)amino]propyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate 439609-78-6P, [2-Oxo-3-[2-oxo-2-[[3-[[4,5-dihydro-1H-imidazol-2-yl)amino]methyl]benzyl]amino]ethyl]-2,3,4,5-tetrahydro-1H-3-benzazepin-1-yl]acetic acid trifluoroacetate
RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(drug candidate; preparation of bicycloheptene and benzazepine derivs. as vitronectin receptor antagonists)


RN 439609-60-6 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[3-(2-pyridinylamino)propyl]amino]ethyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CRN 439609-59-3
CMF C22 H26 N4 O4




CRN 76-05-1
CMF C2 H F3 O2




RN 439609-63-9 CAPLUS
CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[4-(2-pyridinylamino)butyl]amino]ethyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CRN 439609-62-8
CMF C23 H28 N4 O4




CRN 76-05-1
CMF C2 H F3 O2



RN 439609-66-2 CAPLUS
 CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[2-(2-pyridinylamino)ethyl]amino]ethyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)


CM 1

CRN 439609-65-1
 CMF C21 H24 N4 O4



CM 2


CRN 76-05-1
 CMF C2 H F3 O2



RN 439609-69-5 CAPLUS
 CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[[3-[(2-pyridinylamino)methyl]phenyl]methyl]amino]ethyl]-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)


CM 1

CRN 439609-68-4
 CMF C27 H28 N4 O4




CM 2


CRN 76-05-1
 CMF C2 H F3 O2




RN 439609-72-0 CAPLUS
 CN 1H-3-Benzazepine-1-acetic acid, 2,3,4,5-tetrahydro-2-oxo-3-[2-oxo-2-[[3-
 [(3,4,5,6-tetrahydro-2H-azepin-7-yl)amino]propyl]amino]ethyl]-,
 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)
 CM 1
 CRN 439609-71-9
 CMF C23 H32 N4 O4



CM 2
 CRN 76-05-1
 CMF C2 H F3 O2




RN 439609-75-3 CAPLUS
 CN 1H-3-Benzazepine-1-acetic acid, 3-[2-[[3-[(4,5-dihydro-1H-imidazol-2-
 yl)amino]propyl]amino]-2-oxoethyl]-2,3,4,5-tetrahydro-2-oxo-,
 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)
 CM 1
 CRN 439609-74-2
 CMF C20 H27 N5 O4



CM 2

CRN 76-05-1

CMF C2 H F3 O2




RN 439609-78-6 CAPLUS

CN 1H-3-Benzazepine-1-acetic acid, 3-[2-[[[3-[[[4,5-dihydro-1H-imidazol-2-yl)amino]methyl]phenyl]methyl]amino]-2-oxoethyl]-2,3,4,5-tetrahydro-2-oxo-, 2,2,2-trifluoroacetate (1:1) (CA INDEX NAME)

CM 1

CRN 439609-77-5


CMF C25 H29 N5 O4



CM 2

CRN 76-05-1

CMF C2 H F3 O2




IT 439609-85-5P, Methyl [1-(2-tert-butoxy-2-oxoethyl)-2-oxo-1,2,4,5-tetrahydro-3H-3-benzazepin-3-yl]acetate

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of bicycloheptene and benzazepine derivs. as vitronectin receptor antagonists)

RN 439609-85-5 CAPLUS

CN 3H-3-Benzazepine-1,3-diacetic acid, 1,2,4,5-tetrahydro-2-oxo-, 1-(1,1-dimethylethyl) 3-methyl ester (CA INDEX NAME)



=> FILE REG		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	8.81	867.91
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.80	-5.60

FILE 'REGISTRY' ENTERED AT 17:03:24 ON 27 JUN 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0
 DICTIONARY FILE UPDATES: 26 JUN 2008 HIGHEST RN 1031085-65-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when
 conducting SmartSELECT searches.


REGISTRY includes numerically searchable data for experimental and
 predicted properties as well as tags indicating availability of
 experimental property data in the original document. For information
 on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>
 Uploading C:\Program Files\STNEXP\Queries\10588862 genus3.str

L30 STRUCTURE UPLOADED

=> D L30
 L30 HAS NO ANSWERS
 L30 STR



Structure attributes must be viewed using STN Express query preparation.

=> S L30 SSS FULL
 FULL SEARCH INITIATED 17:03:43 FILE 'REGISTRY'
 FULL SCREEN SEARCH COMPLETED - 148476 TO ITERATE

100.0% PROCESSED 148476 ITERATIONS 49 ANSWERS
 SEARCH TIME: 00.00.01

L31 49 SEA SSS FUL L30

=> FILE CAPLUS
 COST IN U.S. DOLLARS

	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	178.36	1046.27

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-5.60

FILE 'CAPLUS' ENTERED AT 17:03:51 ON 27 JUN 2008
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Jun 2008 VOL 149 ISS 1
 FILE LAST UPDATED: 26 Jun 2008 (20080626/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>



=> S L31
 L32 14 L31
 => S L32 NOT L28
 L33 12 L32 NOT L28
 => D L33 1-12 IBIB ABS HITSTR

L33 ANSWER 1 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2007:1092898 CAPLUS
 DOCUMENT NUMBER: 147:385858
 TITLE: Preparation of dibenzoazepine compounds as
 γ -secretase inhibitors
 INVENTOR(S): Flohr, Alexander; Jakob-Roetne, Roland; Wostl,
 Wolfgang
 PATENT ASSIGNEE(S): Switz.
 SOURCE: U.S. Pat. Appl. Publ., 39pp.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
US 20070225273	A1	20070927	US 2007-726639	20070322
WO 2007110335	A1	20071004	WO 2007-EP52557	20070319
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: EP 2006-111771 A 20060327
 OTHER SOURCE(S): MARPAT 147:385858
 GI



AB Title compds. I [A1 = -CHR- or -CO-; A2 = -CO- and R2, R3 = H, alkyl, halo, etc.; A2 = -O-CO- and R2, R3 = H or alkyl; R = H or alkyl substituted by halo; R1 = H, alkyl or -(CH2)n-aryl (wherein alkyl and -(CH2)-aryl are optionally substituted by halo); R4 = alkyl substituted by halo; n = 0-2] or pharmaceutically acceptable acid addition salts, optically pure enantiomers, racemates, or diastereomeric mixture thereof were prepared For example, acylation of (S)-7-amino-5-(2-benzyloxyethyl)-5H,7H-dibenzo[b,d]azepin-6-one, e.g., prepared from ((S)-6-oxo-6,7-dihydro-5H-dibenzo[b,d]azepin-7-yl)carbamic acid tert-Bu ester in 2 steps, with 2-methyl-N-(2,2,3,3,3-pentafluoropropyl)malonamic acid followed by de-benzylation afforded compound II. In γ -secretase inhibition assays, the IC50 value of compound II was 0.001 μ M. Of note, compds. I are useful for the treatment of Alzheimer's disease.

IT 950688-24-1P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of dibenzoazepine compds. as γ -secretase inhibitors)

RN 950688-24-1 CAPLUS


CN 5H-Dibenz[b,d]azepine-5-acetic acid, 6,7-dihydro-7-[[2-methyl-1,3-dioxo-3-[(2,2,3,3,3-pentafluoropropyl)amino]propyl]amino]-6-oxo-, methyl ester, (7S)- (CA INDEX NAME)

Absolute stereochemistry.




IT 950688-96-7P 950688-97-8P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of dibenzazepine compds. as γ -secretase inhibitors)
 RN 950688-96-7 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[[(1,1-
 dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester, (7S)-
 (CA INDEX NAME)

Absolute stereochemistry.



RN 950688-97-8 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl
 ester, (7S)- (CA INDEX NAME)

Absolute stereochemistry.



L33 ANSWER 2 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:1141473 CAPLUS

DOCUMENT NUMBER: 143:422268

TITLE: Preparation of polycyclic α -amino- ϵ -caprolactams and related compounds as synthetic intermediates for the preparation of inhibitors of β -amyloid peptide release

INVENTOR(S): Audia, James E.; Mabry, Thomas E.; Nissen, Jeffrey A.; McDaniel, Stacey L.; Porter, Warren J.

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly and Company
SOURCE: U.S., 53 pp., Cont.-in-part of U.S. Ser. No. 337,408, abandoned.

CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6958330	B1	20051025	US 2001-882777	20010614
PRIORITY APPLN. INFO.:			US 1998-160066P	P 19980622
			US 1999-337408	B2 19990621

OTHER SOURCE(S): MARPAT 143:422268


AB Title compds. R₁NHCR₂CONHW [I; W = substituted ϵ -caprolactam; R₁ = H or N-protecting group; R₂ = H, (un)substituted alkyl, alkenyl, etc.] are prepared and disclosed as synthetic intermediates in the preparation of inhibitors of β -amyloid peptide release and/or its synthesis. Thus, e.g., 5-amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one hydrochloride (II) was prepared by methylation of 5,7-dihydro-6H-dibenz[b,d]azepin-6-one, followed by reaction with Bu nitrite to introduce an oximo group which was hydrogenated to the 5-amine group of II and acidified to form the HCl salt. Examples were given to illustrate how a compound prepared from a synthetic intermediate of this invention (I) could be assayed to determine its ability to inhibit β -amyloid production in a cell (no data).

IT 228877-20-1P


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of polycyclic α -amino- ϵ -caprolactams and related compound as synthetic intermediates in the preparation of inhibitors of β -amyloid peptide release and/or its synthesis)

RN 228877-20-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[[1,1-dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)





IT 228877-62-1P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of polycyclic α -amino- ϵ -caprolactams and related compound as synthetic intermediates in the preparation of inhibitors of β -amyloid peptide release and/or its synthesis)
 RN 228877-62-1 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 227 THERE ARE 227 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE REFORMAT

L33 ANSWER 3 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2003:413722 CAPLUS
 DOCUMENT NUMBER: 139:117330
 TITLE: Synthesis and characterization of two [5,6]-open and [6,6]-closed [60]fullerene isomers
 AUTHOR(S): Xiao, Shengqiang; Li, Yuliang; Fang, Hongjuan; Li, Hongmei; Liu, Huibiao; Jiang, Lei; Zhu, Daoben
 CORPORATE SOURCE: Center for Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing, 100080, Peop. Rep. China
 SOURCE: Synthetic Metals (2003), 135-136, 839-840
 CODEN: SYMEDZ; ISSN: 0379-6779
 PUBLISHER: Elsevier Science B.V.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 139:117330
 GI





AB Two novel [5,6]-open (I) and [6,6]-closed (II) fullerene isomers and a
ketolactam fullerene derivative bearing 2,6-bis(acetylamino)pyridine unit as
hydrogen bonding motif were synthesized through the cycloaddn. reaction of
alkyl azide to [60]fullerene. ¹H NMR, ¹³C NMR, MALDI-TOF and FTIR
confirmed their structures.

IT 461019-13-6P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation by photochem. oxidation of [5,6]-open isomer of fullerene
bis(acetylamino)pyridine derivative)

RN 461019-13-6 CAPLUS

CN 2a-Aza-1,2(2a)-homo-2,3-seco[5,6]fullerene-C60-1h-2a-acetamide,
2,3-dihydro-2,3-dioxo-N-[6-[(1-oxododecyl)amino]-2-pyridinyl]- (9CI) (CA
INDEX NAME)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 4 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:572226 CAPLUS


DOCUMENT NUMBER: 137:247564

TITLE: Synthesis and Characterization of Three Novel
[60]Fullerene Derivatives toward Self-Assembled
Nanoparticles through Interaction of Hydrogen Bonding
AUTHOR(S): Xiao, Shengqiang; Li, Yuliang; Fang, Hongjuan; Li,
Hongmei; Liu, Huibiao; Shi, Zhiqiang; Jiang, Lei; Zhu,
Daoben

CORPORATE SOURCE: Center for Molecular Sciences, Institute of Chemistry,
Chinese Academy of Sciences, Beijing, 100080, Peop.
Rep. China

SOURCE: Organic Letters (2002), 4(18), 3063-3066
CODEN: ORLEF7; ISSN: 1523-7060

PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 137:247564
GI



AB Three novel fullerene derivs. bearing a 2,6-bis(acetylamino)pyridine unit as a hydrogen bonding motif displaying a dimerization tendency were synthesized and characterized by the cycloaddn. reaction of alkyl azide to [60]fullerene. An SEM image of the dimerization system of compound I indicated spherical particles having a mean diameter of 15 nm with a rather narrow size distribution.


IT 461019-13-6P


RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 461019-13-6 CAPLUS

CN 2a-Aza-1,2(2a)-homo-2,3-seco[5,6]fullerene-C60-1h-2a-acetamide,
2,3-dihydro-2,3-dioxo-N-[6-[(1-oxododecyl)amino]-2-pyridinyl]- (9CI) (CA
INDEX NAME)

PAGE 1-A





REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 5 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:819353 CAPLUS

DOCUMENT NUMBER: 132:64534

TITLE: Preparation of cyclic amino acid compounds for inhibiting β -amyloid peptide release and/or its synthesis

INVENTOR(S): Thompson, Richard C.; Wilkie, Stephen; Stack, Douglas R.; Vanmeter, Eldon E.; Shi, Qing; Britton, Thomas C.; Audia, James E.; Reel, Jon K.; Mabry, Thomas E.; Dressman, Bruce A.; Cwi, Cynthia L.; Henry, Steven S.; Mcdaniel, Stacey L.; Stucky, Russell D.; Porter, Warren J.

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly & Company; et al.

SOURCE: PCT Int. Appl., 714 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9967221	A1	19991229	WO 1999-US14193	19990622
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2325389	A1	19991229	CA 1999-2325389	19990622
AU 9947101	A	20000110	AU 1999-47101	19990622
EP 1089980	A1	20010411	EP 1999-930594	19990622
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002518483	T	20020625	JP 2000-555875	19990622
US 20050192265	A1	20050901	US 2004-2922	20041203
PRIORITY APPLN. INFO.:			US 1998-102507	A2 19980622

WO 1999-US14193

W 19990622

US 2003-392332

A3 20030320

OTHER SOURCE(S): MARPAT 132:64534

AB Cyclic compds., e.g., $R_1R_{15}'NC(Q)NR_{15}(Y)_n(CH)_pC(X)W$ [R_1 = (un)substituted alkyl, alkenyl, alkynyl, cycloalkyl, or cycloalkenyl, aryl, heterocyclyl, heteroaryl; R_{15} = H, alkyl, substituted alkyl, aryl, heteroaryl, heterocyclyl; R_{15}' = H, OH, alkyl, substituted alkyl, heterocyclyl, heteroaryl; W together with $(CH)_pC(X)$ forms an (un)substituted cycloalkyl or cycloalkenyl, heterocyclyl, which are optionally fused to form a bi- or multi-fused ring systems; X = oxo, thioxo, hydroxyl, thiol, or hydro (H,H); Y = CHR_2CONH , where R_2 = (un)substituted alkyl, alkenyl, or alkynyl, cycloalkyl, aryl, heteroaryl, heterocyclyl; p = 0 or 1], were prepared for inhibition of β -amyloid peptide release and/or its synthesis. Thus, (S)-3-[[N-(2-thiophenecarbonyl)-L-alaninyl]amino]-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one was prepared via acylation of (S)-3-(L-alaninylamino)-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepin-2-one with 2-thiophenecarboxylic acid. Compds. of the invention inhibit β -amyloid peptide production by at least 30% as compared to the control.


IT 228877-20-1P 228877-62-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of cyclic amino acid compds. for inhibiting β -amyloid peptide release)


RN 228877-20-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[(1,1-dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)



RN 228877-62-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 6 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:819352 CAPLUS

DOCUMENT NUMBER: 132:64533

TITLE: Preparation of cyclic amino acid compounds for inhibiting β -amyloid peptide release and/or its synthesis

INVENTOR(S): Audia, James E.; Thompson, Richard C.; Wilkie, Stephen C.; Britton, Thomas C.; Porter, Warren J.; Huffman, George W.; Latimer, Lee H.

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly & Company

SOURCE: PCT Int. Appl., 271 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9967220	A1	19991229	WO 1999-US14007	19990621
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2325388	A1	19991229	CA 1999-2325388	19990621
AU 9952047	A	20000110	AU 1999-52047	19990621
EP 1089981	A1	20010411	EP 1999-937164	19990621
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002518482	T	20020625	JP 2000-555874	19990621
US 6509331	B1	20030121	US 1999-337484	19990621
US 20030153550	A1	20030814	US 2002-267017	20021007
US 6774125	B2	20040810		
PRIORITY APPLN. INFO.:			US 1998-102728	A2 19980622
			US 1998-155265P	P 19980622
			US 1999-337484	A3 19990621
			WO 1999-US14007	W 19990621


OTHER SOURCE(S): MARPAT 132:64533

AB Compds. R1(Z)mNH(Y)nW [W is a fused ring system, e.g., benzo- or dibenzazepinones or -diazepinones; Y = CHR2CONH or (CHR2')aNH, where R2 = (un)substituted alkyl, alkenyl, or alkynyl, cycloalkyl, aryl, heteroaryl, heterocyclyl, R2' = H or R2; R1 = (un)substituted alkyl, alkenyl, alkynyl, cycloalkyl, or cycloalkenyl, aryl, heteroaryl, heterocyclyl, Z = -T-CX'X''CO, where T is selected from the group consisting of a bond covalently linking R1 to -CX'X''-, oxygen, sulfur and -NR6 (R6 = H, acyl, alkyl, aryl, heteroaryl), X' is H, OH, F, X'' is H, OH, F or X' and X'' together form an oxo group; m = 0 or 1; n = 1 or 2] were prepared for inhibition of β -amyloid peptide release and/or its synthesis. Thus, 1-(L-alaninylamino)-4,5,6,7-tetrahydro-3,7-methano-3H-3-benzazonin-2(1H)-one was prepared via coupling of N-tert-butoxycarbonyl-L-alanine with 1-amino-4,5,6,7-tetrahydro-3,7-methano-3H-3-benzazonin-2(1H)-one. Compds. of the invention inhibit β -amyloid peptide production by at least 30% as compared to the control when employed at 10 μ g/mL.

IT 228877-20-1P 228877-21-2P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation of cyclic amino acid compds. for inhibiting β -amyloid
 peptide release)
 RN 228877-20-1 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[[(1,1-
 dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX
 NAME)



RN 228877-21-2 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl
 ester (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 7 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:819351 CAPLUS

DOCUMENT NUMBER: 132:64532

TITLE: Preparation of cyclic amino acid compounds for
 inhibiting β -amyloid peptide release and/or its
 synthesis

INVENTOR(S): Audia, James E.; Porter, Warren J.; Thompson, Richard
 C.; Wilkie, Stephen C.; Stack, Douglas R.; Shi, Qing

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly & Company

SOURCE: PCT Int. Appl., 287 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9967219	A1	19991229	WO 1999-US14096	19990622
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,				

DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP,
 KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN,
 MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
 TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK,
 ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG,
 CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

CA 2324474	A1	19991229	CA 1999-2324474	19990622
AU 9947079	A	20000110	AU 1999-47079	19990622
EP 1089977	A1	20010411	EP 1999-930566	19990622

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, FI

JP 2002518481	T	20020625	JP 2000-555873	19990622
US 6552013	B1	20030422	US 1999-338121	19990622
US 20030149022	A1	20030807	US 2002-326081	20021223
US 6838455	B2	20050104		
US 20050192265	A1	20050901	US 2004-2922	20041203

PRIORITY APPLN. INFO.:

US 1998-102507	A2	19980622
US 1998-150704P	P	19980930
US 1998-162757	A2	19980930
US 1998-160067P	P	19980622
US 1999-338121	A3	19990622
WO 1999-US14096	W	19990622
US 2003-392332	A3	20030320

OTHER SOURCE(S): MARPAT 132:64532

AB Compds. R1ZNH(Y)nW [W is a fused ring system, e.g., benzo- or dibenzoazepinones or -diazepinones; Y = CHR2CONH, where R2 = (un)substituted alkyl, alkenyl, or alkynyl, cycloalkyl, aryl, heteroaryl, heterocyclyl; R1 = (un)substituted alkyl, alkenyl, cycloalkyl, or cycloalkenyl, aryl, heteroaryl, heterocyclyl; Z is represented by -T-CX'X''V- where T is selected from the group consisting of a bond covalently linking R1 to -CX'X''-, oxygen, sulfur and -NR6 (R6 = H, acyl, alkyl, aryl, heteroaryl), X' is H, OH, F, X'' is H, OH, F or X' and X'' together form an oxo group, V is alkylene or substituted alkylene or R1 and Z together form aryl or (un)substituted cycloalkyl, cycloalkenyl, or heterocyclyl; n = 1 or 2] were prepared for inhibition of β -amyloid peptide release and/or its synthesis. Thus, 5-(S)-[N'-(2-(3,5-difluorophenyl)ethyl)-L-alaninyl]amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one was prepared by reductive alkylation of 5-(S)-(L-alaninyl)amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one hydrochloride with 3,5-difluorophenylacetaldehyde using sodium cyanoborohydride. Compds. of the invention inhibit β -amyloid peptide production by at least 30% as compared to the control when employed at 10 μ g/mL.


IT 228877-20-1P 228877-62-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(preparation of cyclic amino acid compds. for inhibiting β -amyloid peptide release)

RN 228877-20-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[[(1,1-dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)



RN 228877-62-1 CAPLUS
 CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 8 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:819249 CAPLUS

DOCUMENT NUMBER: 132:64531

TITLE: Preparation of cyclic amino acid compounds for inhibiting β -amyloid peptide release and/or its synthesis

INVENTOR(S): Audia, James E.; Dressman, Bruce A.; Shi, Qing

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly & Company

SOURCE: PCT Int. Appl., 256 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9966934	A1	19991229	WO 1999-US14211	19990622
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			

CA 2324475	A1	19991229	CA 1999-2324475	19990622
AU 9947104	A	20000110	AU 1999-47104	19990622
EP 1093372	A1	20010425	EP 1999-930600	19990622
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002518451	T	20020625	JP 2000-555620	19990622
US 20050192265	A1	20050901	US 2004-2922	20041203
PRIORITY APPLN. INFO.:			US 1998-102507	A2 19980622
			US 1998-164451	A2 19980930
			WO 1999-US14211	W 19990622
			US 2003-392332	A3 20030320

OTHER SOURCE(S): MARPAT 132:64531


AB Compds. R'R''NCHR1CONH(Y)nW and R':NC(:R1)CONH(Y)nW [W is a fused ring system, e.g., benzo- or dibenzoazepinones or -diazepinones; Y = CHR2CONH, where R2 = (un)substituted alkyl, alkenyl, or alkynyl, cycloalkyl, aryl, heteroaryl, heterocyclyl; R1 and R' form a nitrogen-containing heterocycle; R'' = H, alkyl, substituted alkyl, aryl; n = 1 or 2] were prepared for inhibition of β -amyloid peptide release and/or its synthesis. Thus, 5-(S)-[N'-(L-prolyl)-L-alaninyl]amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one was prepared via coupling of N-(N'-tert-butoxycarbonyl-L-prolyl)-L-alanine with 5-(S)-amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one. Compds. of the invention inhibit β -amyloid peptide production by at least 30% as compared to the control when employed at 10 μ g/mL.

IT 228877-20-1P 228877-62-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of cyclic amino acid compds. for inhibiting β -amyloid peptide release)


RN 228877-20-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[[(1,1-dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)



RN 228877-62-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 9 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:425778 CAPLUS

DOCUMENT NUMBER: 131:73572

TITLE: Preparation of annelated caprolactams as inhibitors of β -amyloid release and/or synthesis.

INVENTOR(S): Audia, James E.; Mabry, Thomas E.; Nissen, Jeffrey S.; Mcdaniel, Stacey L.

PATENT ASSIGNEE(S): Elan Pharmaceuticals, Inc., USA; Eli Lilly and Company

SOURCE: PCT Int. Appl., 114 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9932453	A1	19990701	WO 1998-US22637	19981029
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6635632	B1	20031021	US 1997-996422	19971222
CA 2307221	A1	19990701	CA 1998-2307221	19981029
AU 9912777	A	19990712	AU 1999-12777	19981029
BR 9812773	A	20001010	BR 1998-12773	19981029
EP 1042298	A1	20001011	EP 1998-956198	19981029
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
HU 2001000294	A2	20010928	HU 2001-294	19981029
HU 2001000294	A3	20030428		
JP 2003521438	T	20030715	JP 2000-525390	19981029
MX 2000PA05540	A	20010328	MX 2000-PA5540	20000605
US 20020068741	A1	20020606	US 2001-915263	20010726
US 20020052359	A1	20020502	US 2001-915480	20010727
US 6544978	B2	20030408		
US 20020111343	A1	20020815	US 2001-915547	20010727
US 20020115652	A1	20020822	US 2001-915362	20010727
US 6541466	B2	20030401		



US 20020123486	A1	20020905	US 2001-915342	20010727
US 6632811	B2	20031014		
US 20020137738	A1	20020926	US 2001-915564	20010727
US 6559141	B2	20030506		
US 20020151538	A1	20021017	US 2001-915379	20010727
US 6579867	B2	20030617		
US 20020173504	A1	20021121	US 2001-915519	20010727
US 20020045747	A1	20020418	US 2001-916282	20010730
US 20020055500	A1	20020509	US 2001-916440	20010730
US 6653303	B1	20031125	US 2003-336824	20030106
US 6667305	B1	20031223	US 2003-336745	20030106
US 6683075	B1	20040127	US 2003-336806	20030106
US 20040043977	A1	20040304	US 2003-336687	20030106
US 20040058900	A1	20040325	US 2003-336767	20030106
US 20050203080	A1	20050915	US 2003-733877	20031212
US 7153847	B2	20061226		
US 20050182046	A1	20050818	US 2004-777247	20040213
US 20050215541	A1	20050929	US 2004-951992	20040929
US 6951854	B2	20051004		
US 20050272666	A1	20051208	US 2004-1610	20041202
US 20060079499	A1	20060413	US 2004-1608	20041202
US 20070203108	A1	20070830	US 2006-433923	20060512
US 7390801	B2	20080624		

PRIORITY APPLN. INFO.:

US 1996-64851P	P	19961223
US 1997-996422	A	19971222
US 1998-102726	A	19980622
US 1996-780025	A	19961223
WO 1998-US22637	W	19981029
US 2001-915263	A1	20010726
US 2001-915342	A3	20010727
US 2001-915362	A3	20010727
US 2001-915379	A3	20010727
US 2001-915480	A3	20010727
US 2001-915564	A3	20010727
US 2001-916440	A1	20010730
US 2003-336687	B3	20030106
US 2003-336767	A3	20030106
US 2003-733877	A1	20031212

OTHER SOURCE(S):
GI

MARPAT 131:73572



AB R1(NHCHR2CO)nNHW [W = Q1, Q2, etc.; R1 = H, blocking group; R2 = H, (substituted) alkyl, alkenyl, alkynyl, acyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclyl; A, B = atoms to form aryl, (substituted) cycloalkyl, cycloalkenyl, heteroaryl, heterocyclic ring; R3 = H, (substituted) alkyl, alkenyl, alkynyl, acyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclyl; R4 = (substituted) alkyl, alkenyl, alkynyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclyl; m, n = 0-2], were prepared Thus, 7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one

(preparation given) in PhMe was treated with Bu nitrite; the mixt at 0° was treated with KN(SiMe₃)₂ followed by 1 h stirring to give 80% 7-methyl-5-oximo-5,7-dihydro-6H-dibenz[b,d]azepin-6-one. The latter was hydrogenated in EtOH over Pd/C at 35 psi to give 61% 5-amino-7-methyl-5,7-dihydro-6H-dibenz[b,d]azepin-6-one hydrochloride. Title compds. at 10 µg/mL inhibit β-amyloid production by ≥30%.


IT 228877-20-1P 228877-21-2P 228877-62-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of annelated caprolactams as inhibitors of β-amyloid release and/or synthesis)


RN 228877-20-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-[[1,1-dimethylethoxy)carbonyl]amino]-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)




RN 228877-21-2 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester (CA INDEX NAME)



RN 228877-62-1 CAPLUS

CN 5H-Dibenz[b,d]azepine-5-acetic acid, 7-amino-6,7-dihydro-6-oxo-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L33 ANSWER 10 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1990:406141 CAPLUS

DOCUMENT NUMBER: 113:6141

ORIGINAL REFERENCE NO.: 113:1190h,1191a

TITLE: Condensation of iminophosphoranes with dicarbonyl dihalides: a one-step synthesis of new azepine derivatives

AUTHOR(S): Aubert, Thierry; Farnier, Michel; Guillard, Roger

CORPORATE SOURCE: Lab. Synth. Electrosynth. Organomet., Fac. Sci.

"Gabriel", Dijon, F-21100, Fr.

SOURCE: Synthesis (1990), (2), 149-50


CODEN: SYNTBF; ISSN: 0039-7881

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 113:6141

GI




AB Condensation of RN:PPh₃ (R = PhCH₂, CH₂CO₂Et), prepared from RN₃ and PPh₃, with adipoyl chloride and benzenediacyl chloride gave azepines I and benzazepines II, resp.

IT 127441-02-5P


RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

RN 127441-02-5 CAPLUS


CN 3H-3-Benzazepine-3-acetic acid, 1,2,4,5-tetrahydro-2,4-dioxo-, ethyl ester
(CA INDEX NAME)



L33 ANSWER 11 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1971:463539 CAPLUS
 DOCUMENT NUMBER: 75:63539
 ORIGINAL REFERENCE NO.: 75:10067a,10070a
 TITLE: Chemistry of heterocycles. III. Synthesis and reactions of benzolactam-N-acetic acid esters
 AUTHOR(S): Petyunin, P. A.; Bolotov, V. V.; Soldatova, A. F.
 CORPORATE SOURCE: Khar'k. Farm. Inst., Kharkov, USSR
 SOURCE: Zhurnal Organicheskoi Khimii (1971), 7(5), 1069-75
 CODEN: ZORKAE; ISSN: 0514-7492
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 GI For diagram(s), see printed CA Issue.
 AB 3,3-Diaryl-2-indolinones, 1,2,3,4-tetrahydro-3-isoquinolinones, and -1,2,3,4-tetrahydro-2(5H)-benzazepinones (aryl = Ph, p-MeC6H4) reacted with RCHXCO2R1 (R = H, Et, iso-Pr, Ph; R1 = Et, CH2CH2Cl, Bu; X = Cl, Br) in the presence of NaOEt to give the corresponding benzolactam-N-acetic esters (I) in 73-95% yield. I underwent hydrazinolysis, amidation, saponification, and transesterification in the usual manner.
 IT 32927-59-6P 32933-52-1P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)
 RN 32927-59-6 CAPLUS
 CN 3H-3-Benzazepine-3-acetic acid, 1,2,4,5-tetrahydro-2-oxo-1,1-diphenyl-, ethyl ester (CA INDEX NAME)



RN 32933-52-1 CAPLUS
 CN 3H-3-Benzazepine-3-acetanilide, 1,2,4,5-tetrahydro-2-oxo-1,1-diphenyl-, (8CI) (CA INDEX NAME)




L33 ANSWER 12 OF 12 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1970:66713 CAPLUS
 DOCUMENT NUMBER: 72:66713

ORIGINAL REFERENCE NO.: 72:12166h,12167a
 TITLE: Anticonvulsant and pesticidal 10-hydroxy-10,5-(iminomethano)-5H-dibenzo[a,d]cycloheptene-11,13(10H)-diones
 INVENTOR(S): Davis, Martin A.; Dobson, Thomas A.
 PATENT ASSIGNEE(S): American Home Products Corp.
 SOURCE: U.S., 5 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3487075	A	19691230	US 1966-605224	19661228
PRIORITY APPLN. INFO.:			US 1966-605224	A 19661228

GI For diagram(s), see printed CA Issue.
 AB The title compds. (I), having anticonvulsant, antibacterial, and trichomonacid properties, are prepared by treating 10,5-(epoxymethano)-5H-dibenzo-[a,d]cycloheptene-11,13(10H)-dione (II) with an amine to give III followed by oxidation. Thus, 8.0 g II in 40 ml dioxane was added dropwise with stirring to 150 ml concentrated aqueous NH₃ under N and the mixture kept 2 hr to give 6.0 g III (R = H), m. 172-3°. This (1.0 g) in 25 ml Me₂CO was treated dropwise with 3 ml 8N H₂CrO₄ and worked up to yield I (R = H), m. 227-30° (EtOH). II (10 g) in 50 ml dioxane was added dropwise to a mixture of 200 ml concentrated NH₃ solution and 200 ml H₂O in an open vessel and the mixture agitated 4 hr to give 5.0 g I (R = H), m. 242-3°. Similarly prepared were I (R and m.p. given): Me, 222-3° (MeOCH₂CH₂OMe); Et, 202-3° (EtOH-hexane); Pr, 171-2° (CHCl₃-hexane); Bu, 128-9° (EtOAc-hexane); PhCH₂CH₂, 165-6° (EtOH-hexane); CH₂=CH:CH₂, 169-70° (EtOAc); cyclopropyl, 162-3° (EtOAc-hexane); HOCH₂CH₂, 179-80° (EtOAc); Me₂NCH₂CH₂, 164-6° (EtOAc); H₂NCOCH₂, 211-13° (decomposition) (EtOH or MeCN).
 IT 27086-84-6P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)
 RN 27086-84-6 CAPLUS
 CN 10,5-(Iminomethano)-5H-dibenzo[a,d]cycloheptene-12-acetamide, 10,11-dihydro-10-hydroxy-11,13-dioxo- (8CI) (CA INDEX NAME)



=> FIL STINGUIDE
 COST IN U.S. DOLLARS
 FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
71.64	1117.91

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-9.60	-15.20

FILE 'STNGUIDE' ENTERED AT 17:11:52 ON 27 JUN 2008
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Jun 20, 2008 (20080620/UP).

=> D HIS

(FILE 'HOME' ENTERED AT 16:16:16 ON 27 JUN 2008)

FILE 'REGISTRY' ENTERED AT 16:16:25 ON 27 JUN 2008

L1 STRUCTURE UPLOADED

L2 0 S L1 FAM FULL

L3 0 S L1 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:19:23 ON 27 JUN 2008

L4 0 S L3

E GRIEBENOW NILS/IN

L5 9 S E3

E FLESSNER TIMO/IN

L6 12 S E3

E HARTER MICHAEL/IN

L7 6 S E3 OR E4

E RAABE MARTIN/IN

L8 15 S E3

E BUCHMULLER ANJA/IN

E E2+ALL/CT

L9 1 S E2

E BUCHMUELLER ANJA/IN

L10 6 S E3

E BISCHOFF HILMAR/IN

L11 115 S E3 OR E4 OR E5

E ELLINGHAUS PETER/IN

L12 20 S E3

E KOLKHOF PETER/IN

L13 27 S E3

L14 189 S L5 OR L6 OR L7 OR L8 OR L9 OR L10 OR L11 OR L12 OR L13

L15 113655 S CARDIOVASCULAR

L16 78 S L15 AND L14

L17 0 S L5 AND L6 AND L7

L18 5 S L8 AND L11

L19 5 S "TETRAHYDROBENZO[D]AZEPIN-2-ONE"

L20 0 S L19 AND L14

FILE 'STNGUIDE' ENTERED AT 16:28:54 ON 27 JUN 2008

FILE 'REGISTRY' ENTERED AT 16:49:28 ON 27 JUN 2008

L21 STRUCTURE UPLOADED

L22 0 S L21 SSS FULL

L23 STRUCTURE UPLOADED

L24 10 S L23 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:55:39 ON 27 JUN 2008

L25 1 S L24

FILE 'REGISTRY' ENTERED AT 16:58:47 ON 27 JUN 2008
L26 STRUCTURE UPLOADED
L27 38 S L26 SSS FULL

FILE 'CAPLUS' ENTERED AT 16:59:20 ON 27 JUN 2008
L28 2 S L27
L29 1 S L28 NOT L25

FILE 'REGISTRY' ENTERED AT 17:03:24 ON 27 JUN 2008
L30 STRUCTURE UPLOADED
L31 49 S L30 SSS FULL

FILE 'CAPLUS' ENTERED AT 17:03:51 ON 27 JUN 2008
L32 14 S L31
L33 12 S L32 NOT L28

FILE 'STNGUIDE' ENTERED AT 17:11:52 ON 27 JUN 2008